

```
1 #!/usr/bin/perl
2 $mail_prog = '/usr/lib/sendmail' ;
3 # This script was generated automatically by Perl Builder(tm): http://www.solutionsoft.com
4
5 # ***ENDAUTOGEN:HEADER*** Do NOT modify this line!! You may enter custom code after this line.
6
7 # ***AUTOGEND:INPUT*** Do NOT modify this line!! Do NOT enter custom code in this section.
8
9 &GetFormInput;
10
11 # The intermediate variables below make your script more readable
12 # but somewhat less efficient since they are not really necessary.
13 # If you do not want to use these variables, clear the
14 # Intermediate Variables checkbox in the Tools | Options dialog box, CGI Wizard tab.
15
16 $name = $field{'name'} ;
17 $gender = $field{'gender'} ;
18 $likewpss = $field{'likewpss'} ;
19 $agegroup = $field{'agegroup'} ;
20
21 # ***ENDAUTOGEN:INPUT*** Do NOT modify this line!! You may enter custom code after this line.
22
23 # ***AUTOGEND:VALIDATE*** Do NOT modify this line!! Do NOT enter custom code in this section.
24
25 # ***ENDAUTOGEN:VALIDATE*** Do NOT modify this line!! You may enter custom code after this line.
26
27 # ***AUTOGEND:LOGFILE*** Do NOT modify this line!! Do NOT enter custom code in this section.
28
29 # ***ENDAUTOGEN:LOGFILE*** Do NOT modify this line!! You may enter custom code after this line.
30
31 # ***AUTOGEND:EMAIL*** Do NOT modify this line!! Do NOT enter custom code in this section.
32
33 # ***ENDAUTOGEN:EMAIL*** Do NOT modify this line!! You may enter custom code after this line.
34
35 # ***AUTOGEND:HTML*** Do NOT modify this line!! Do NOT enter custom code in this section.
36 print "Content-type: text/html\n\n";
37 print "<HTML>\n" ;
38 print "<HEAD>\n" ;
39 print "<TITLE>Test CGI output</TITLE>\n" ;
```

```
40 print '<META http-equiv="Content-Type" content="text/html; charset=iso-8859-1">'."\n" ;
41 print "</HEAD>\n" ;
42 print "\n" ;
43 print '<BODY bgcolor="#FFFFFF">."\n" ;
44 print "<H1>This is the output of the mynameis CGI script.</H1>\n" ;
45 print "<P>Hello ".$name.".</P>\n" ;
46 print "<P>You are ".$gender.".</P>\n" ;
47 print "<P>The age group you are in is: ".$agegroup.".</P>\n" ;
48 print "<P>Whether you like WPSS: ".$likewpss.".</P>\n" ;
49 print "</BODY>\n" ;
50 print "</HTML>\n" ;
51
52 # ***ENDAUTOGEN:HTML*** Do NOT modify this line!! You may enter custom code after this line.
53
54 # ***AUTOGEN:ERRPRINT*** Do NOT modify this line!! Do NOT enter custom code in this section.
55
56 # ***ENDAUTOGEN:ERRPRINT*** Do NOT modify this line!! You may enter custom code after this line.
57
58 # ***AUTOGEN:PARSE*** Do NOT modify this line!! Do NOT enter custom code in this section.
59 sub GetFormInput {
60
61     (*fval) = @_ if @_;
62
63     local ($buf);
64     if ($ENV{'REQUEST_METHOD'} eq 'POST') {
65         read(STDIN,$buf,$ENV{'CONTENT_LENGTH'});
66     }
67     else {
68         $buf=$ENV{'QUERY_STRING'};
69     }
70     if ($buf eq "") {
71         return 0 ;
72     }
73     else {
74         @fval=split(/&/,$buf);
75         foreach $i (0 .. $#fval){
76             ($name,$val)=split (/=/,$fval[$i],2);
77             $val=~tr/+/_;
78             $val=~ s/%(..)/pack("c",hex($1))/ge;
```

```
79     $name=~tr/+/ /;
80     $name=~ s/%(..)/pack("c",hex($1))/ge;
81
82     if (!defined($field{$name})) {
83         $field{$name}=$val;
84     }
85     else {
86         $field{$name} .= ",$val";
87
88         #if you want multi-selects to goto into an array change to:
89         #$field{$name} .= "\0$val";
90     }
91
92     }
93 }
94
95 return 1;
96 }
97
98
99 # ***ENDAUTOCODE:PARSE*** Do NOT modify this line!! You may enter custom code after this line.
```